

Translating from F^* to C

a progress report

P. Wang
MIT

K. Bharghavan, J-K. Zinzindohoué
INRIA

A. Anand
Cornell

C. Fournet, B. Parno, J. Protzenko,
A. Rastogi, N. Swamy
Microsoft

A fashion phenomenon?

The hot **new** thing these days is...

A fashion phenomenon?

The hot **new** thing these days is...

translating to **C!**



Fig 1. – Two hipster C hackers with beards

Bedrock!

- deep embedding of C into Coq
- prove functional correctness (and memory safety) using manual proofs
- data structures, threads (first-class pointers)

```
Definition swap := bmodule {{
  bfunction "swap" [st ~> Ex fr : hprop,
    Ex a : nat, Ex b : nat,
    ![ st#R0 ==> a * st#R1 ==> b * ![fr] ] st
  /\ st#Rret @@ (st' ~>
    ![ st#R1 ==> a * st#R0 ==> b
      * ![fr] ] st') ] {
    R2 <- $[R0];;
    $[R0] <- $[R1];;
    $[R1] <- R2;;
    Goto Rret
  }
}}.

Theorem swapOk : moduleOk swap.
structured; sep.
Qed.
```

Figure 2. A Bedrock function implementing pointer swapping

At ICFP this year.

- a DSL with linear types, polymorphism
- generates a shallow embedding into Isabelle + proof
- systems code (e.g. file systems)

```
1 type ExSt
2 type UArray a
3 type Dpt a = <None () | Some a>
4 type Node = #{mbuf:Opt Buf, ptr:U32, fr:U32, to:U32}
5 type Acc = (ExSt, FsSt, VfsInode)
6 type Cnt = (UArray Node,
7   (U32, Node, Acc, U32, UArray Node) -> (Node, Acc))
8
9 uarray_create: all (a :< E). (ExSt, U32)
10 -> <Success (ExSt, UArray a) | Err ExSt>
11
12 ext2_free_branch: (U32, Node, Acc, U32)
13 -> (Node, Acc, <Expd Cnt | Iter ()>)
14 ext2_free_branch (depth,nd,(ex,fs,inode),mdep) =
15   if depth + 1 < mdep
16     then
17       uarray_create[Node] (ex,nd.to-nd.fr) !nd
18       | Success (ex, children) =>
19         let nd_t { mbuf } = nd
20           and (children, (ex, inode, _, mbuf)) =
21             uarray_map_no_break #{
22               arr = children,
23               f   = ext2_free_branch_entry,
24               acc = (ex, inode, node_t.fr, mbuf),
25               ... } !nd_t
26           and nd = nd_t { mbuf }
27           in (nd, (ex, fs, inode),
28             Expd (children, ext2_free_branch_cleanup))
29         | Err ex -> (nd, (ex,fs,inode), Iter ())
30     else ...
```

Figure 2: COGENT example

Others

- Idris has a C backend + experimental C++11 backend
- Ivory is a DSL in Haskell that generates memory-safe C code

Others

- Idris has a C backend + experimental C++11 backend
- Ivory is a DSL in Haskell that generates memory-safe C code
- F* wants to be hip. F* will generate C too.



We actually have reasons!

Everest: VERifiEd Secure Transport

Even before recent headline-grabbing attacks like HeartBleed, FREAK, and Logjam, entire papers were published just to summarize all of the academically “interesting” ways TLS implementations have been broken, without even getting into “boring” vulnerabilities like buffer overflows and other basic coding mistakes.

Reminder: TLS = « the S in HTTPS »

Everest

- A collaboration with our friends at INRIA and MSR Cambridge
- Prove TLS *cryptographically* sound
- Generate shippable code

Everest

- A collaboration with our friends at INRIA and MSR Cambridge
- Prove TLS *cryptographically* sound
- Generate shippable code

Yes, this is ambitious.


Back to C; why 🤪?!

'FACE SCREAMING IN FEAR' (U+1F631)

Performance Cryptography = hand-optimized machine integers. OCaml = $n - 1$ bits.

Social reasons OCaml runtime = hard sell.

The architecture




Things to cover


- ① Theory
- ② F* code & libraries
- ③ Overview of the tool & demo

An overview of the theory


The pipeline



The pipeline



The pipeline



Low*

Low* is a **low-level**, **first-order** fragment of F*.

- Offers a **limited** subset of C's power: stack-allocated buffers and locally mutable variables
- Code is written against a HyperStack library
- Suitable pre- and post-conditions ensure **memory safety**
- If the code **ends up** in Low*, it can be translated to C.

A word about Low*

- An expression language
- Semantics by substitution
- Frame = buffer id
→ list of values

$\text{if } le \text{ then } le \text{ else } le$	conditional
$\text{let } x : t = f \text{ le in } le$	application
$\text{let } x : t = \text{readbuf } le \text{ le in } le$	read buffer
$\text{let } _ = \text{writebuf } le \text{ le le in } le$	write buffer
$\text{let } x = \text{newbuf } n \text{ (} le : t \text{) in } le$	new buffer
$\text{subbuf } le \text{ le}$	sub-buffer
$\text{withframe } le$	with-frame

$$\frac{lp(f) = \lambda y : t_1. le_1 : t_2}{lp \vdash (H, \text{let } x : t = f \text{ v in } le) \rightarrow (H, \text{let } x : t = [v/y]le_1 \text{ in } le)} \text{APP}$$

A word about C*

- A statement language
- Semantics with continuation contexts (telescope)
- Frame = location to values + immutable values
- Pointer arithmetic for buffers

$s ::=$		statements
	$t x = e$	immutable variable declaration
	$t x[n] = \{e\}$	array declaration (w. initial value)
$e ::=$		expressions
	n	integer constant
	$()$	unit value
	x	variable

$$\frac{p(f) = \text{fun } (y : t_1) : t_2 \{ ss_1 \} \quad [e]_{(p, V)} = v}{p \vdash (S, V, t x = f e; ss) \rightsquigarrow (S; (\perp, V, t x = \square; ss), V[y \mapsto v], ss_1)} \text{ CALL}$$

Low* to C*

For any Low* expr. e and C* statements $s = \text{trans}(e)$:

safety: if e is **safe**, then s is **safe**.

refinement:

$$\begin{array}{ccc} e & \rightsquigarrow^n & \exists e' \\ \Downarrow_R & & \Downarrow_R \\ s & \rightsquigarrow & s' \end{array}$$

Low* to C*

For any Low* expr. e and C* statements $s = \text{trans}(e)$:

safety: if e is **safe**, then s is **safe**.

refinement:

$$\begin{array}{ccc} e & \rightsquigarrow^n & \exists e' \\ \Downarrow_R & & \Downarrow_R \\ s & \rightsquigarrow & s' \end{array}$$

Any reduction step of the C* program corresponds to an **admissible** sequence of reduction steps for the Low* program.

Low* to C*

For any Low* expr. e and C* statements $s = \text{trans}(e)$:

safety: if e is **safe**, then s is **safe**.

refinement:

$$\begin{array}{ccc} e & \rightsquigarrow^n & \exists e' \\ \Downarrow_R & & \Downarrow_R \\ s & \rightsquigarrow & s' \end{array}$$

Any reduction step of the C* program corresponds to an **admissible** sequence of reduction steps for the Low* program.

The C* program only does “things” allowed by the original semantics of Low*.

Low* to C*

But, this is hard ($n = 0$; stuttering). Instead, we use the CompCert style:

$$\begin{array}{ccc} e & \rightsquigarrow & e' \\ \Downarrow_R & & \Downarrow_R \\ s & \rightsquigarrow^n & \exists s' \end{array}$$

Works only if C* is deterministic (yes) and Low* is safe (yes).

A look at some code

The memory model

- A list of stack frames
- The **tip** is the current stack frame
- Each stack frame maps locations to values
- Special well-parenthesized **push_frame** and **pop_frame**

```
let test1 ( _: unit ): Stack unit (fun _ -> true) (fun _ _ _ -> true) =
  push_frame ();
  let b = Buffer.create 21l 2ul in
  print_int32 (index b 0ul +%^ index b 1ul);
  pop_frame ()
```

The Stack effect

```
let equal_domains (m0:mem) (m1:mem) =
  m0.tip = m1.tip /\
  Set.equal (Map.domain m0.h) (Map.domain m1.h) /\
  ( $\forall$  r. Map.contains m0.h r ==>
    TSet.equal
      (Heap.domain (Map.sel m0.h r))
      (Heap.domain (Map.sel m1.h r)))

effect Stack (a:Type) (pre:st_pre) (post: (mem -> Tot (st_post a))) =
  STATE a (fun (p:st_post a) (h:mem) ->
    pre h /\ ( $\forall$  a h1.
      (pre h /\ post h a h1 /\ equal_domains h h1) ==> p a h1))
```

Preserves the **layout** of the stack and **doesn't allocate** in any frame.

A trickier example

A function in `Stack` requires `push_region` and `pop_region` to allocate. What about code re-use?


```
let test2 (_: unit):  
  StackInline (Buffer.buffer Int32.t)  
  (requires (fun h0 -> is_stack_region h0.tip))  
  (ensures (fun h0 b h1 -> live h1 b /\ Buffer.length b = 2))  
=  
  let b = Buffer.create 0l 2ul in  
  upd b 0ul (C.rand ());  
  upd b 1ul (C.rand ());  
  b
```

The StackInline effect

```
let inline_stack_inv h h' : GTot Type0 =
  (* The frame invariant is enforced *)
  h.tip = h'.tip
  (* The heap structure is unchanged *)
  /\ Map.domain h.h == Map.domain h'.h
  (* Any region that is not the tip has not seen any allocations *)
  /\ ( $\forall$  (r:HH.rid). (r <> h.tip /\ Map.contains h.h r)
      ==> Heap.domain (Map.sel h.h r) == Heap.domain (Map.sel h'.h r))

effect StackInline (a:Type) (pre:st_pre) (post: (mem -> Tot (st_post a)))
STATE a (fun (p:st_post a) (h:mem) ->
  pre h /\ ( $\forall$  a h1.
    (pre h /\ post h a h1 /\ inline_stack_inv h h1) ==> p a h1))
```

The tool: KreMLin



Demo time!

Conclusion

Our approach: a shallow embedding of C into F* with a curated set of primitives

Our flagship code: 12,000 lines of F* code (bignum, curve, Chacha20, Poly1305, AEAD)

Our tool: KreMLin (open-source! go and use it for Coq too?)

Soon: HACL* (High Assurance Crypto Libraries)

Hopefully soon: extract more code, including miTLS